

-	35	(memory adj1 locations) near4 ("64" adj1 bit)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:15
-	335	adjacent adj1 memory adj1 locations	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:16
-	0	(adjacent adj1 memory adj1 locations) near4 (large adj1 data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:31
-	73	(adjacent adj1 memory adj1 locations) near4 (data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:18
-	27	(floating adj1 point) near4 (memory adj1 locations)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:19
-	0	(memory adj1 locations) near4 (large adj1 data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:32
-	7	(memory adj1 locations) with (large adj1 data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:36
-	26	(memory adj1 locations) same (large adj1 data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:47
-	120	(double adj1 word) near4 storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:52
-	11	(double adj1 word) near4 storage near4 locations	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:52
-	827	instruction adj1 translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 16:02
-	4	software near4 instruction adj1 translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 16:02
-	0	software adj1 instruction adj1 translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 16:02
-	13	software near4 (instruction adj1 translat\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 16:02
-	197	(712/43).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 15:38
-	258	(712/229).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/14 15:38

-	16	(operat\$3 adj1 mod\$2) near4 (address\$2 adj1 siz\$3)	USPAT; US-PGPUB; JPO; DERWENT	2004/10/14 16:05
-	18	(operat\$3 adj1 mod\$2) with (address\$2 adj1 siz\$3)	USPAT; US-PGPUB; JPO; DERWENT	2004/10/14 16:06
-	29	(operat\$3 adj1 mod\$2) same (address\$2 adj1 siz\$3)	USPAT; US-PGPUB; JPO; DERWENT	2004/10/14 16:08
-	58	mod\$2 near4 (address\$2 adj1 siz\$3)	USPAT; US-PGPUB; JPO; DERWENT	2004/10/14 16:14
-	29	mod\$2 near4 (address\$2 adj1 siz\$3) near4 (indicat\$4 or bit\$1 or set\$5)	USPAT; US-PGPUB; JPO; DERWENT	2004/10/14 16:24

L Number	Hits	Search Text	DB	Time stamp
-	357	mode adj1 indicators	USPAT; US-PGPUB; JPO; DERWENT	2004/05/26 15:07
-	63	(operating adj1 mode) and (mode adj1 indicators)	USPAT; US-PGPUB; JPO; DERWENT	2004/10/14 15:38
-	63	(operating adj1 mode) and (mode adj1 indicators)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/26 15:08
-	26	processor and (operating adj1 mode) and (mode adj1 indicators)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/26 15:08
-	8	(operating adj1 mode) near4 (mode adj1 indicators)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/26 15:08
-	231	(operat\$4 adj1 mod\$2) near4 (mod\$2 adj1 bit\$1)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/26 15:09
-	113	(operating adj1 mode) and (("16" adj1 bits) near4 ("32" adj1 bits))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/26 15:09
-	52	(operating adj1 mode) near4 indicators	USPAT; US-PGPUB; JPO; DERWENT	2004/05/26 15:09
-	81	(operating adj1 mode\$1) and (mode adj1 indicators)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/26 15:09
-	42	processor and (operating adj1 mode\$1) and (mode adj1 indicators)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/26 15:09
-	41	(operating adj1 mode\$1) and ((address adj1 size) and (operand adj1 size))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/26 15:09
-	3	(segment adj1 selector\$1) near4 (entries)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:13
-	0	(adjacent adj1 memory adj1 locations) near4 (64?bit)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:16
-	0	(adjacent adj1 memory) near4 (64?bit)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:15
-	0	(adjacent adj1 memory) near4 ("64" adj1 bit)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:16